

COPLES PARA ENCODER

SERIE DR



ALEACIÓN DE ALUMINIO

| MODELO | D1 ϕ | D2 ϕ | ϕ EXTERIOR | LONG. | TORQUE | VEL. MÁX. |
|-----------------|-----------|-----------|-----------------|-------|--------|-----------|
| DR-4x4-D19L25 | 4mm | | 19mm | 25mm | 1Nm | 19,000RPM |
| DR-4x6-D19L25 | 4mm | 6mm | | | | |
| DR-6x6-D19L25 | 6mm | | | | | |
| DR-8x8-D19L25 | 8mm | | | | | |
| DR-10x10-D19L25 | 10mm | | | | | |



DR-4x4-D19L25



DR-4x6-D19L25



DR-6x6-D19L25



DR-8x8-D19L25



DR-10x10-D19L25

COPLES FLEXIBLES DE PLÁSTICO

| MODELO | D1 ϕ | D2 ϕ | ϕ EXTERIOR | LONG. | TORQUE | VEL. MÁX. |
|-------------|-----------|-----------|-----------------|-------|--------|-----------|
| DR2-S-6X6 | 6mm | | 15mm | 21mm | 1.5mm | 6,000RPM |
| DR2-S-6X8 | 6mm | 8mm | 19mm | 23mm | 0.5Nm | 7,000RPM |
| DR2-S-8x8 | 8mm | | | | | |
| DR2-S-10x10 | 10mm | | | | | |



DR2-S-6X6



DR2-S-6X8



DR2-S-8x8



DR2-S-10x10

DIÁMETROS PARA SERIE DR

| | | | |
|---------|--------|-----------|--------|
| 3x3 | 3x4 | 3x5 | 3x6 |
| 3x6.35 | 3x8 | 4x4 | 4x6 |
| 4x6.35 | 4x8 | 4x10 | 5x5 |
| 5x6 | 5x6.35 | 5x7 | 5x8 |
| 5x10 | 6x6 | 6x6.35 | 6x7 |
| 6x8 | 6x10 | 6.35x6.35 | 6.35x8 |
| 6.35x10 | 7x7 | 7x8 | 7x10 |
| 8x8 | 8x10 | 10x10 | |